

# Safety data sheet TPU 95A

**Ultimaker**  
It's in the making

## 1. Identification of the substance/preparation and of the company

<b>1.1 Trade name</b>	TPU 95A
<b>1.2 Use of the product</b>	3D-Printer filament
<b>1.3 Supplier</b>	Ultimaker (Watermolenweg 2, 4191PN, Geldermalsen, The Netherlands)
Emergency phone number	In case of toxicological emergency contact your doctor

## 2. Hazards identification according to regulation (EC) No 1272/2008 and GHS

<b>2.1 Classification of the substance or mixture</b>	No risk exists to the health of users if the product is handled and processed properly
<b>2.2 Label elements</b>	
Labelling	Not applicable
<b>2.3 Other hazards</b>	Not known

## 3. Composition/information on ingredients

<b>3.1 Composition</b>	Thermoplastic polyurethane
<b>3.2 Mixture</b>	-

## 4. First aid measures

<b>4.1 Description of first aid measures</b>	General advice: If you feel unwell, seek medical advice (show the label where possible). Never give anything by mouth to an unconscious person
Inhalation	In case of inhalation of gases released from molten filament, move person into fresh air
Skin contact	Wash with soap and water. Seek medical attention if symptoms occur. If burned by contact with hot material, cool molten material adhering to skin as quickly as possible with water, do not try to peel it off and seek for medical attention, if necessary, for removal and treatment of the burns

Eye contact	Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. Seek medical attention if symptoms persist. If molten material contacts the eye, immediately flush with plenty of water for at least 15 minutes. Seek medical attention immediately
Ingestion	Not probable. Seek medical advice in case ingestion occurs
Note to physician	Treat symptomatically
<b>4.2 Most important symptoms and effects, both acute and delayed</b>	Burns should be treated as thermal burns. The material will come off as healing occurs; therefore immediate removal from skin is not necessary
<b>4.3 Indication of any immediate medical attention and special treatment needed</b>	No data available
 <b><u>5. Firefighting measures</u></b>	
<b>5.1 Extinguishing media</b>	Material can accumulate static charges which may cause an electrical spark (ignition source). Use proper bonding and/or grounding procedures  Foam, carbon dioxide (CO <sub>2</sub> ), water, dry extinguishing media  Unsuitable extinguishing media: not known
<b>5.2 Special hazards arising from the substance or mixture</b>	Burning produces obnoxious and toxic fumes: carbon oxides (CO <sub>x</sub> ), nitrogen oxides (NO <sub>x</sub> ), hydrogen cyanide (HCN), and isocyanate (RNCO)
<b>5.3 Advice for firefighters</b>	Use self-contained breathing apparatus and full protective clothing
 <b><u>6. Accidental release measures</u></b>	
<b>6.1 Personal precautions, protective equipment and emergency procedures</b>	Avoid breathing gases released from molten filament. Ensure adequate ventilation, especially in confined areas
<b>6.2 Environmental precautions</b>	No data available
<b>6.3 Methods and materials for containment and cleaning up</b>	Allow molten material to solidify. Dispose waste and residue in accordance with local regulations
<b>6.4 Reference to other sections</b>	-
 <b><u>7. Handling and storage</u></b>	
<b>7.1 Precautions for safe handling</b>	Avoid contact with molten material
<b>7.2 Conditions for safe storage, including any incompatibilities</b>	Product should be stored in a dry and cool place at temperatures between -20 to +30 °C and below 50% relative humidity. Avoid direct sunlight.
<b>7.3 Specific end use(s)</b>	Filament for 3D printing

## 8. Exposure controls/personal protection

### 8.1 Control parameters (\*)

DNEL:

The regulations for the substances listed below must be observed when processing this product, particularly if processing takes place at elevated temperatures. In our experience printing in a well ventilated area will ensure compliance with the following occupational exposure limits:  
- Aluminum oxide (CAS 1344-28-01)  $\leq 0.03\%$  : 1 mg/m<sup>3</sup> (TLV)

No data available

PNEC:

No data available

### 8.2 Exposure controls

Eye protection

Use safety glasses for prolonged stare at printing

Skin and body protection

Good practices suggest to minimize skin contact. When material is heated, wear gloves to protect against thermal burns

Respiratory protection

If engineering controls do not maintain airborne concentrations below recommended exposure limits (when applicable) or to an acceptable level (in countries where exposure limits have not been established) an approved respirator must be worn. Respirator type: air-purifying respirator with an appropriate government approved (where applicable) air purifying filter, cartridge or canister. Contact a health and safety professional or manufacturer for specific information

Hand protection

Follow good industrial hygiene practices

Hygiene measures

Follow good industrial hygiene practices

Engineering measures

Good general ventilation (typically 10 air changes per hour) is recommended. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation or other engineering controls that maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level

## 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance

Filament

Color

White

Odor

Slight

Flash point

-

Ignition temperature

Not self-igniting

Thermal decomposition

> 230 °C

Auto-ignition temperature

> 400 °C

Melting point/range

220 °C

Density

1.22 g/cm<sup>3</sup>

Water solubility

Insoluble

Solubility in other solvents

Tetrahydrofurane, dimethyl formamide, dimehtyl acetamide, N-methyl pyrrolidone, dimethyl sulphoxide, pyridine

### 9.2 Other information

(\*) TLV (Threshold Limit Value)

Safety data sheet — Ultimaker TPU 95A

## 10. Stability

### 10.1 Reactivity

Stable under recommended storage conditions

No data available

### 10.2 Chemical stability

This product is stable if stored and handled as indicated

### 10.3 Possibility of hazardous reactions

No decomposition or hazardous reactions if stored and applied as directed

### 10.4 Conditions to avoid

Print temperatures above 240 °C (at standard printing speeds)

### 10.5 Incompatible materials

Not known

### 10.6 Hazardous decomposition products

See 5.2

## 11. Toxicological information

### 11.1 Information on toxicological effects

Principle routes of exposure

Eye contact, skin contact, inhalation, ingestion

Acute toxicity

Oral (LD50; tested in rats; value: >5000 mg/kg)

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Reproductive toxicity

No known chronic effects

Carcinogenicity

The chemical structure does not suggest a specific alert for such an effect

## 12. Ecological information

### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

Poorly biodegradable

### 12.3 Bio accumulative potential

Does not significantly accumulate in organisms

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

No data available

### 12.6 Other adverse effects

No data available

## 13. Disposal considerations

### **13.1 Waste treatment methods**

In accordance with local and national regulations

## 14. Transport information

ADR	-
RID	-
IATA	Not regulated
IMDG	Not regulated
Special precautions for user	Not regulated

## 15. Regulatory information

Not meant to be all inclusive - selected regulations represented

### **15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture**

#### **US Regulations:**

Sara 313 title III	Not listed
TSCA inventory list	Listed
OSHA hazard category	Chronic target organ effects reported
CERCLA	Not reportable
WHMIS	-
State right-to-know requirements	-

#### **Other inventories:**

Canada DSL inventory list	-
REACH/EU EINECS	Components are in compliance with REACH and/or are listed
NEHAPS	Not regulated
Japan (ECL/MITI)	-
Australia (AICS)	-
Korean toxic substances control act (ECL)	-
Philippines inventory (PICCS)	-
Chinese chemical inventory (IECSC)	-

### **15.2 Chemical safety assessment**

No data available

## 16. Other information

The information provided in this Safety Data Sheet (SDS) is based on current knowledge and experience. This information is provided without warranty. This information should help to make an independent determination of the methods to ensure proper and safe use and disposal of the filament

Version Version 3.004

Date 18/10/2016